

From: Wilson, Michael 1633
Sent: Wednesday, January 31, 2001 11:44 AM
T : STIC-ILL
Subject: article req. 09/127624

TI Recent advances in ***chicken*** primordial germ cell technology.
AU ***Ponce De Leon, F. A. (1)*** ; ***Blackwell, C.*** ; Gao, X. Y.;
SO Revista Brasileira de Reproducao Animal, (1997) Vol. 21, No. 3, pp. 96-101.

TI Production of germline ***chimeric*** ***chickens*** by transfer
of ***cultured*** ***primordial*** germ ***cells***.
AU Chang I K; Jeong D K; Hong Y H; Park T S; Moon Y K; Ohno T; Han J Y
SO CELL BIOLOGY INTERNATIONAL, (1997 Aug) 21 (8) 495-9.

TI The developmental origin of primordial germ cells and the transmission of
the donor-derived gametes in mixed-sex germline chimeras to the offspring
in the chicken.
AU Kagami H; Tagami T; Matsubara Y; Harumi T; Hanada H; Maruyama K; Sakurai
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Dec) 48 (4) 501-10.

PGCs from
dorsal aorta
of stage 13-15

TI Origin and differentiation of primordial germ cells in vertebrates,
especially fishes.
AU Timmermans, Lucy P. M.
SO Netherlands Journal of Zoology, (1996) Vol. 46, No. 1-2, pp. 147-162.

TI Contributions to somatic and germline lineages of chicken blastodermal
cells maintained in culture.
AU Etches R J; Clark M E; Toner A; Liu G; Gibbins A M
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1996 Nov) 45 (3) 291-8.

TI Production of germline chimeric chickens, with high transmission rate of
donor-derived gametes, produced by transfer of primordial germ cells.
AU Naito M; Tajima A; Yasuda Y; Kuwana T
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1994 Oct) 39 (2) 153-61.

TI Production of quail chimera by transfer of early blastodermal cells and
its use for transgenesis.
AU Ono, Tamao (1); Muto, Shin-Ichi (1); Mizutani, Makoto; Agata, Kiyokazu;
SO Japanese Poultry Science, (1994) Vol. 31, No. 2, pp. 119-129.

TI Preservation of chick primordial germ cells in liquid nitrogen and
subsequent production of viable offspring
AU Naito, M.; Tajima, A.; Tagami, T.; Yasuda, Y.; Kuwana, T.
SO J. Reprod. Fertil. (1994), 102(2), 321-5

TI Migration of the primordial germ cells and gonad formation in the early
chicken embryo.
AU Hong, Y. H.; Swo, D. S.; Jeong, D. K.; Choi, K. D.; Han, J. Y. (1)
SO Asian-Australasian Journal of Animal Sciences, (1995) Vol. 8, No. 6, pp. 557-562.

STIC-ILL

QP251.14554

From: Wilson, Michael 1633
Sent: Wednesday, January 31, 2001 11:44 AM
To: STIC-ILL
Subject: article req. 09/127624

TI Recent advances in ***chicken*** primordial germ cell technology.
AU ***Ponce De Leon, F. A. (1)*** ; ***Blackwell, C.*** ; Gao, X. Y.;
SO Revista Brasileira de Reproducao Animal, (1997) Vol. 21, No. 3, pp. 96-101.

TI Production of germline ***chimeric*** ***chickens*** by transfer
of ***cultured*** ***primordial*** germ ***cells***
AU Chang I K; Jeong D K; Hong Y H; Park T S; Moon Y K; Ohno T; Han J Y
SO CELL BIOLOGY INTERNATIONAL, (1997 Aug) 21 (8) 495-9.

TI The developmental origin of primordial germ cells and the transmission of
the donor-derived gametes in mixed-sex germline chimeras to the offspring
in the chicken.
AU Kagami H; Tagami T; Matsubara Y; Harumi T; Hanada H; Maruyama K; Sakurai
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Dec) 48 (4) 501-10.

TI Origin and differentiation of primordial germ cells in vertebrates,
especially fishes.
AU Timmermans, Lucy P. M.
SO Netherlands Journal of Zoology, (1996) Vol. 46, No. 1-2, pp. 147-162.

TI Contributions to somatic and germline lineages of chicken blastodermal
cells maintained in culture.
AU Etches R J; Clark M E; Toner A; Liu G; Gibbins A M
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1996 Nov) 45 (3) 291-8.

TI Production of germline chimeric chickens, with high transmission rate of
donor-derived gametes, produced by transfer of primordial germ cells.
AU Naito M; Tajima A; Yasuda Y; Kuwana T
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1994 Oct) 39 (2) 153-61.

TI Production of quail chimera by transfer of early blastodermal cells and
its use for transgenesis.
AU Ono, Tamao (1); Muto, Shin-Ichi (1); Mizutani, Makoto; Agata, Kiyokazu;
SO Japanese Poultry Science, (1994) Vol. 31, No. 2, pp. 119-129.

TI Preservation of chick primordial germ cells in liquid nitrogen and
subsequent production of viable offspring
AU Naito, M.; Tajima, A.; Tagami, T.; Yasuda, Y.; Kuwana, T.
SO J. Reprod. Fertil. (1994), 102(2), 321-5

TI Migration of the primordial germ cells and gonad formation in the early
chicken embryo.
AU Hong, Y. H.; Swo, D. S.; Jeong, D. K.; Choi, K. D.; Han, J. Y. (1)
SO Asian-Australasian Journal of Animal Sciences, (1995) Vol. 8, No. 6, pp. 557-562.

population
Pure culture
of PGCs isol.
blood &
from stage 13.
used to make
tg w/ germline
transmission

STIC-ILL

330549

From: Wilson, Michael 1633
Sent: Wednesday, January 31, 2001 11:44 AM
To: STIC-ILL
Subject: article req. 09/127624

TI Recent advances in ***chicken*** primordial germ cell technology.
AU ***Ponce De Leon, F. A. (1)*** ; ***Blackwell, C.*** ; Gao, X. Y.;
SO Revista Brasileira de Reproducao Animal, (1997) Vol. 21, No. 3, pp. 96-101.

TI Production of germline ***chimeric*** ***chickens*** by transfer
of ***cultured*** ***primordial*** germ ***cells***.
AU Chang I K; Jeong D K; Hong Y H; Park T S; Moon Y K; Ohno T; Han J Y
SO CELL BIOLOGY INTERNATIONAL, (1997 Aug) 21 (8) 495-9.

TI The developmental origin of primordial germ cells and the transmission of
the donor-derived gametes in mixed-sex germline chimeras to the offspring
in the chicken.
AU Kagami H; Tagami T; Matsubara Y; Harumi T; Hanada H; Maruyama K; Sakurai
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1997 Dec) 48 (4) 501-10.

TI Origin and differentiation of primordial germ cells in vertebrates,
especially fishes.
AU Timmermans, Lucy P. M.
SO Netherlands Journal of Zoology, (1996) Vol. 46, No. 1-2, pp. 147-162.

TI Contributions to somatic and germline lineages of chicken blastodermal
cells maintained in culture.
AU Etches R J; Clark M E; Toner A; Liu G; Gibbins A M
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1996 Nov) 45 (3) 291-8.

Mo/31

TI Production of germline chimeric chickens, with high transmission rate of
donor-derived gametes, produced by transfer of primordial germ cells.
AU Naito M; Tajima A; Yasuda Y; Kuwana T
SO MOLECULAR REPRODUCTION AND DEVELOPMENT, (1994 Oct) 39 (2) 153-61.

TI Production of quail chimera by transfer of early blastodermal cells and
its use for transgenesis.
AU Ono, Tamao (1); Muto, Shin-Ichi (1); Mizutani, Makoto; Agata, Kiyokazu;
SO Japanese Poultry Science, (1994) Vol. 31, No. 2, pp. 119-129.

TI Preservation of chick primordial germ cells in liquid nitrogen and
subsequent production of viable offspring
AU Naito, M.; Tajima, A.; Tagami, T.; Yasuda, Y.; Kuwana, T.
SO J. Reprod. Fertil. (1994), 102(2), 321-5

6

54-NW
2/5-R.C

TI Migration of the primordial germ cells and gonad formation in the early
chicken embryo.
AU Hong, Y. H.; Swo, D. S.; Jeong, D. K.; Choi, K. D.; Han, J. Y. (1)
SO Asian-Australasian Journal of Animal Sciences, (1995) Vol. 8, No. 6, pp. 557-562.